

JARDAN

Dawn

Assembly Instructions




Dawn Pendant DA35

jardan.com.au

JARDAN

Dawn Assembly Instructions



Components	Required
------------	----------

A 1 x dawn pendant

1 x 1.27mm Allen Key

B 1 x opal glass globe


1 x 2.5mm Allen Key

C 1 x G9 LED Bulb

1 x Small Flathead Screwdriver


JARDAN

Dawn Assembly Instructions



1

Dawn comes fully assembled, simply mount the ceiling canopy to the desired location. Cord length is 3m, drop height is fully adjustable using the grub screw on ceiling canopy cord grip. In the event the bulb requires replacement please follow the below steps.




2

Ensure pendant is hanging level. The pendant can be adjusted laterally using the slot on top. Support the pendant while moving the steel cable along the ridged slot, allow slack in the cable to move into each compartment.


JARDAN

Dawn Assembly Instructions



3

If further adjustment is needed, remove the cap from the top using a screwdriver. Using the 2.5mm Allen Key loosen both screws so the outer glass shade can rotate. Caution: Do not unscrew fully (max. 3 turns anticlockwise).




4


Rotate the outer shade around the suspension assembly to allow for levelling in all directions. Tighten screws back into top and replace cap.

JARDAN

Dawn Assembly Instructions




- 5** For bulb replacement ensure the light is turned off. Do not pull down on the assembly. Carefully unscrew the inner glass globe anti-clockwise and remove.
-



- 6** Gently unscrew the E27 bulb downwards out of the holder. Replace with a E27 LED bulb (max. 15W).
-

JARDAN

Dawn Assembly Instructions



- 7** Screw the inner glass globe back onto the fitting.
-

JARDAN

This installation guide will help your electrician simply and safely install your Dawn Pendant Light. Jordan carries out a test assembly prior to delivery, but please ensure that all necessary components are present and use this handbook as a reference throughout the installation process.

IMPORTANT

Always shut off power to the circuit before starting installation work. This installation must only be done by a licensed electrician. Keep tools away from the surface to avoid scuffing and scratches. Jordan cannot be held responsible for any damage that occurs during installation.

Warranty and Care

- Made to last, our lighting is covered by a 1 year structural warranty.
 - Wipe with a dry micro-fibre cloth only, ensuring light is turned off before proceeding.
-

Contact

For more information visit our website. If you can't find what you're looking for our friendly sales team will be happy to help, contact your nearest Jordan store.

jordan.com.au
