

JARDAN

Floyd

Assembly Instructions




Floyd Coffee Table

jardan.com.au

JARDAN

Floyd Assembly Instructions




Components	Required
------------	----------

A 1 x Table Top
B 4 x Legs


Allen Key
Fixing provided: M8 bolt

JARDAN

Floyd Assembly Instructions




- 1 Unwrap and familiarise yourself with all the components.
-



- 2 Roughly space the legs apart and place the glass top gently on the legs. Then using the leg placement jig provided move the legs so that they are evenly placed.

JARDAN

Floyd Assembly Instructions



- 3** In an event when the legs should move after installation the leg should be 75mm inset from the table edge.
-

JARDAN

Care and Maintenance

Our philosophy is simple, we only make furniture that lasts. Over their lifetime our products will need a little care and attention to ensure they can be enjoyed by generations to come. The following information will help you care for your Jordan products in the best possible way.

Glass

Regularly wipe glass and mirrored surfaces with a clean lint free cloth. Windex can be used to remove any difficult marks or stains.

Timber Lacquer Finish

Timber is a natural product that will respond to its environmental conditions. We recommend you avoid extreme variation in temperature and humidity as well as contact with liquids and heat. Regularly wipe timber to remove dust and dirt. Do not leave liquid to sit on timber surfaces as it will penetrate and may cause staining. Wipe up spills immediately with a damp cloth. The tone of the timber will alter over time with exposure to UV light, please protect timber from direct or reflected sunlight.

Do not use cleaners or polishes as these may cause permanent damage or colour variation to your furniture. Take care when placing or moving unglazed ceramics and other items with an irregular base finish as they may scratch the surface. Slab or underfloor heating can be damaging to solid timber products. The heat causes the bottom side to dry out differently to the top which can cause bowing, warping or cracking. We advise that you do not keep solid timber pieces on underfloor heating.

Contact

For more information visit our website. If you can't find what you're looking for our friendly sales team will be happy to help, contact your nearest Jordan store.

jardan.com.au
