
Arrow

Assembly Instructions



Single Tables
Dual Base Tables


AO60**/AO70**/AO80**/AO90RS/AO100RS/AO110RS/AO120RS

AO180PS/AO180SS

jardan.com.au

Arrow Assembly Instructions - Single Base Tables

Place the table frame in final location.



AO60** / AO70** / AO80**


AO90RS / AO100RS / AO110RS / AO120RS

Place the tabletop on top of the frame top plate. Use all supplied M6 Screws to fix tabletop to table frame.


Arrow Assembly Instructions - Dual Base Tables

Note: Heavy Frame, handle with care.

Requires more than one person for assembly.




Place the two supplied table base frames, roughly spaced in final location.



2 Use supplied M8x25 Counter Sunk screw to fix dual top plate to both base frames. Ensure all screw are securely fastened to the frame.

jardan.com.au

Arrow Assembly Instructions - Dual Base Tables



Place the tabletop on the assembled table frame and align the holes to the support plate. Use supplied M6x16 Counter Sunk screws to fix frame to tabletop.

Care and Maintenance

Our philosophy is simple, we only make furniture that lasts. Over their lifetime our products will need a little care and attention to ensure they can be enjoyed by generations to come. The following information will help you care for your Jardan products in the best possible way.

Laminate

For general care and maintenance, simply wipe away most spills or marks with a damp cloth, or use an all purpose cleaner such as Windex spray cleaner or Ajax Spray n Wipe. Rubbing gently with a clean, dry cloth brings back the brightness of laminates. Avoid contact with abrasive materials, waxes, polishes, bleach and strongly acidic or alkaline cleaners as these may damage the surface. Contact with a direct heat source should also be avoided.

Timber Oil Finish

Timber is a natural product that will respond to its environmental conditions. For timber products with an oil finish we recommend that you pay particular attention to protecting the piece from hot or wet objects. Do not leave liquid to sit on timber surfaces as it will penetrate the surface and cause staining. Wipe up spills immediately with a damp cloth.

Dependant on the position of the piece and the conditions of your home, we recommend re-oiling once a year. We advise having your furniture re-oiled at least once by our professional craftspeople to learn the correct application techniques. In some cases, an additional application may be required after the first six months. Oil care packages are available from your nearest Jardan store.

Do not use any other cleaners or polishes as they may permanently damage your furniture. Slab or underfloor heating can be damaging to solid timber products. The heat causes the bottom side to dry out differently to the top which can cause bowing, warping or cracking. We advise that you do not keep solid timber pieces on underfloor heating.

Powdercoated Metal

Regularly wipe metal with a damp soft cloth to remove particles which can abrade the surface with wear. Avoid contact with liquid, heat and direct sunlight. Abrasive cleaning products are not recommended.

Contact

For more information visit our website. If you can't find what you're looking for our friendly sales team will be happy to help, contact your nearest Jardan store.

jardan.com.au