

JARDAN


Arden

Assembly Instructions



JARDAN

Arden Assembly Instructions



Components	Required
------------	----------

1x Table Top

Allen Key


2x Legs

16x Hex Bolts (Small Table)

32x Hex Bolts (Large Table)

JARDAN


Arden Assembly Instructions



1

Prepare the Work Area

- a) Place the tabletop face down on a clean, soft surface to prevent scratches.
- b) Unpack both legs and place them on a similar soft surface.




2

Attach the First Leg

- a) Lift one leg and align its bracket with the bracket cut out on the underside of the tabletop.
- b) Ensure all bolt holes are properly aligned.
- c) Insert the supplied hex bolts.
- d) Tighten all bolts securely.

JARDAN


Arden Assembly Instructions



3

Attach the Second Leg

- a) Repeat the same process for the second leg.
- b) Align bracket > Align holes > Insert bolts > Tighten all bolts.



4

Final Positioning

- a) Once both legs are securely attached, use at least two people to carefully flip the table upright.
- b) Place the table in its final position.

JARDAN

Care and Maintenance

Our philosophy is simple, we only make furniture that lasts. Over their lifetime our products will need a little care and attention to ensure they can be enjoyed by generations to come. The following information will help you care for your Jordan products in the best possible way.

Timber Lacquer Finish

Timber is a natural product that will respond to its environmental conditions. We recommend you avoid extreme variation in temperature and humidity as well as contact with liquids and heat. Regularly wipe timber to remove dust and dirt. Do not leave liquid to sit on timber surfaces as it will penetrate and may cause staining. Wipe up spills immediately with a damp cloth. The tone of the timber will alter over time with exposure to UV light, please protect timber from direct or reflected sunlight.

Do not use cleaners or polishes as these may cause permanent damage or colour variation to your furniture. Take care when placing or moving unglazed ceramics and other items with an irregular base finish as they may scratch the surface. Slab or underfloor heating can be damaging to solid timber products. The heat causes the bottom side to dry out differently to the top which can cause bowing, warping or cracking. We advise that you do not keep solid timber pieces on underfloor heating.

Timber Oil Finish

Timber is a natural product that will respond to its environmental conditions. For timber products with an oil finish we recommend that you pay particular attention to protecting the piece from hot or wet objects. Do not leave liquid to sit on timber surfaces as it will penetrate the surface and cause staining. Wipe up spills immediately with a damp cloth.

Dependant on the position of the piece and the conditions of your home, we recommend re-oiling once a year. We advise having your furniture re-oiled at least once by our professional craftspeople to learn the correct application techniques. In some cases, an additional application may be required after the first six months. Oil care packages are available from your nearest Jordan store.

Do not use any other cleaners or polishes as they may permanently damage your furniture. Slab or underfloor heating can be damaging to solid timber products. The heat causes the bottom side to dry out differently to the top which can cause bowing, warping or cracking. We advise that you do not keep solid timber pieces on underfloor heating.

Contact

For more information visit our website. If you can't find what you're looking for our friendly sales team will be happy to help, contact your nearest Jordan store.

jardan.com.au
